

KEYSTONE, METALLIC CORNICE WORKS

John D. Linger

Myers

P. a.

KEYSTONE
METALLIC CORNICE WORKS.

Illustrated Catalogue
—OF—

HAIN BROTHERS,

MANUFACTURERS OF

GALVANIZED IRON CORNICES,

Window Caps, Dormer Windows,

FINIALS, &C.,

TIN AND IRON ROOFING,

No. 23 North Eighth Street,

READING, PA.



IN response to the frequent inquiries, personally and by letter, concerning style and cost of GALVANIZED IRON CORNICES, &c., we are induced to offer to the public this Catalogue, containing a portion of the specimens manufactured by us.

The excellent service rendered by GALVANIZED IRON CORNICES, &c., in immunity against damage by fire and atmospherical influences, gives them a decided preference over wood, while the LIGHT material of which they are constructed is preferable to Stone or Cast Iron, thereby giving cheapness, combined with strength, symmetry and durability.

We furnish cornices of ANY DESIGN, solicit contracts for any part of the United States, and guarantee entire satisfaction, *at prices which will compare favorable with similar establishments.*

HAIN BROTHERS,

23 North 8th Street, Reading, Pa.

Owen, Printer, 515 Court Street, Reading, Pa.





PRICE LIST.

WINDOW CAPS.

102

32 inches and less, - -	each, \$8 50
33 to 35 inches, - -	" 8 75
36 to 38 " - -	" 9 08
39 to 42 " - -	" 9 48

103

32 inches and less, - -	each, \$8 58
33 to 35 inches, - -	" 8 83
36 to 38 " - -	" 9 16
39 to 42 " - -	" 9 56

104

32 inches and less, - -	each, \$7 00
33 to 35 inches, - -	" 7 25
36 to 38 " - -	" 7 58
39 to 42 " - -	" 7 98

105

32 inches and less, - -	each, \$9 16
33 to 35 inches, - -	" 9 46
36 to 38 " - -	" 9 82
39 to 42 " - -	" 10 27

106

32 inches and less, - -	each, \$7 24
33 to 35 inches, - -	" 7 49
36 to 38 " - -	" 7 82
39 to 42 " - -	" 8 22

107

32 inches and less, - -	each, \$4 60
33 to 35 inches, - -	" 4 75
36 to 38 " - -	" 4 97
39 to 42 " - -	" 5 24

108

32 inches and less, - -	each, \$9 60
33 to 35 inches, - -	" 9 90
36 to 38 " - -	" 10 26
39 to 42 " - -	" 10 71

109

32 inches and less, - -	each, \$6 80
33 to 35 inches, - -	" 6 95
36 to 38 " - -	" 7 17
39 to 42 " - -	" 7 44

110

32 inches and less, - -	each, \$10 00
33 to 35 inches, - -	" 10 30
36 to 38 " - -	" 10 66
39 to 42 " - -	" 11 11

111

32 inches and less, - -	each, \$7 70
33 to 35 inches, - -	" 7 95
36 to 38 " - -	" 8 28
39 to 42 " - -	" 8 68

112

32 inches and less, - -	each, \$7 46
33 to 35 inches, - -	" 7 71
36 to 38 " - -	" 8 04
39 to 42 " - -	" 8 44

113

32 inches and less, - -	each, \$6 90
33 to 35 inches, - -	" 7 95
36 to 38 " - -	" 8 28
39 to 42 " - -	" 8 68

WINDOW CAPS—Continued.

114

32 inches and less, - -	each, \$5 06
33 to 35 inches, - -	" 5 21
36 to 38 " - -	" 5 53
39 to 42 " - -	" 5 80

115

32 inches and less, - -	each, \$7 80
33 to 35 inches, - -	" 8 05
36 to 38 " - -	" 8 38
39 to 42 " - -	" 8 78

116

32 inches and less, - -	each, \$6 30
33 to 35 inches, - -	" 6 45
36 to 38 " - -	" 6 67
39 to 42 " - -	" 6 84

117

32 inches and less, - -	each, \$5 98
33 to 35 inches, - -	" 6 13
36 to 38 " - -	" 6 35
39 to 42 " - -	" 6 62

118

32 inches and less, - -	each, \$5 60
33 to 35 inches, - -	" 5 75
36 to 38 " - -	" 5 97
39 to 42 " - -	" 6 24

119

32 inches and less, - -	each, \$5 46
33 to 35 inches, - -	" 5 71
36 to 38 " - -	" 5 93
39 to 42 " - -	" 6 20

120

32 inches and less, - -	each, \$8 30
33 to 35 inches, - -	" 8 55
36 to 38 " - -	" 10 76
39 to 42 " - -	" 11 21

121

32 inches and less, - -	each, \$8 46
33 to 35 inches, - -	" 8 71
36 to 38 " - -	" 9 04
39 to 42 " - -	" 9 44

122

32 inches and less, - -	each, \$7 00
33 to 35 inches, - -	" 7 25
36 to 38 " - -	" 7 58
39 to 42 " - -	" 7 98

123

32 inches and less, - -	each, \$5 00
33 to 35 inches, - -	" 5 15
36 to 38 " - -	" 5 37
39 to 42 " - -	" 5 64

125

32 inches and less, - -	each, \$8 26
33 to 35 inches, - -	" 8 51
36 to 38 " - -	" 8 84
39 to 42 " - -	" 9 24

126

32 inches and less, - -	each, \$6 12
33 to 35 inches, - -	" 6 27
36 to 38 " - -	" 6 49
39 to 42 " - -	" 6 76

127

32 inches and less, - -	each, \$6 10
33 to 35 inches, - -	" 6 25
36 to 38 " - -	" 6 47
39 to 42 " - -	" 6 74

128

32 inches and less, - -	each, \$8 46
33 to 35 inches, - -	" 8 61
36 to 38 " - -	" 8 83
39 to 42 " - -	" 9 10

WINDOW CAPS—Continued.

129

32 inches and less, - - -	each, \$5 08
33 to 35 inches, - - -	" 5 23
36 to 38 " - - -	" 5 45
39 to 42 " - - -	" 5 72

130

32 inches and less, - - -	each, \$7 56
33 to 35 inches, - - -	" 7 81
36 to 38 " - - -	" 8 14
39 to 42 " - - -	" 8 54

131

32 inches and less, - - -	each, \$5 60
33 to 35 inches, - - -	" 5 75
36 to 38 " - - -	" 5 97
39 to 42 " - - -	" 6 24

132

32 inches and less, - - -	each, \$7 46
33 to 35 inches, - - -	" 7 71
36 to 38 " - - -	" 8 04
39 to 42 " - - -	" 8 44

133

32 inches and less, - - -	each, \$8 08
33 to 35 inches, - - -	" 8 33
36 to 38 " - - -	" 8 66
39 to 42 " - - -	" 9 06

134

32 inches and less, - - -	each, \$6 56
33 to 35 inches, - - -	" 6 71
36 to 38 " - - -	" 6 93
39 to 42 " - - -	" 7 20

135

32 inches and less, - - -	each, \$6 06
33 to 35 inches, - - -	" 6 21
36 to 38 " - - -	" 6 43
39 to 42 " - - -	" 9 24

136

32 inches and less, - - -	each, \$10 00
33 to 35 inches, - - -	" 10 30
36 to 38 " - - -	" 10 76
39 to 42 " - - -	" 11 21

137

32 inches and less, - - -	each, \$6 96
33 to 35 inches, - - -	" 7 11
36 to 38 " - - -	" 7 33
39 to 42 " - - -	" 7 60

138

32 inches and less, - - -	each, \$6 90
33 to 35 inches, - - -	" 7 05
36 to 38 " - - -	" 7 27
39 to 42 " - - -	" 7 54

139

32 inches and less, - - -	each, \$6 56
33 to 35 inches, - - -	" 6 71
36 to 38 " - - -	" 6 93
39 to 42 " - - -	" 7 20

176

32 inches and less, - - -	each, \$5 48
33 to 35 inches, - - -	" 5 63
36 to 38 " - - -	" 5 85
39 to 42 " - - -	" 6 12

177

32 inches and less, - - -	each, \$6 00
33 to 35 inches, - - -	" 6 15
36 to 38 " - - -	" 6 37
39 to 42 " - - -	" 6 64

178

32 inches and less, - - -	each, \$3 76
33 to 35 inches, - - -	" 3 91
36 to 38 " - - -	" 4 13
39 to 42 " - - -	" 4 40

WINDOW CAPS—Continued.

179

32 inches and less,	-	-	-	each, \$8 66
33 to 35 inches,	-	-	-	" 8 91
36 to 38 "	-	-	-	" 9 24
39 to 42 "	-	-	-	" 9 64

180

32 inches and less,	-	-	-	each, \$8	00
33 to 35 inches,	-	-	-	"	8 25
36 to 38	"	-	-	-	" 8 58
39 to 42	"	-	-	-	" 8 98

190

32 inches and less,	-	-	-	each, \$8 50
33 to 35 inches,	-	-	-	" 8 75
36 to 38 "	-	-	-	" 9 08
39 to 42 "	-	-	-	" 9 48

191

32 inches and less,	-	-	each, \$6	16
33 to 35 inches,	-	-	"	6 31
36 to 38 "	-	-	"	6 53
39 to 42 "	-	-	"	6 80

192

32 inches and less,	-	-	each, \$7 08
33 to 35 inches,	-	-	" 7 25
36 to 38 "	-	-	" 7 58
39 to 42 "	-	-	" 7 98

193

32 inches and less,	-	-	each, \$8 40
33 to 35 inches,	-	-	" .8 65
36 to 38 "	-	-	" 8 98
39 to 42 "	-	-	" 9 38

194

32 inches and less,	-	-	each, \$8 06
33 to 35 inches,	-	-	" 8 31
36 to 38 "	-	-	" 8 64
39 to 42 "	-	-	" 9 04

195

32 inches and less,	-	-	each,	\$25	75
33 to 35 inches,	-	-	"	26	25
36 to 38	"	-	-	"	27 00
39 to 42	"	-	-	"	28 00

196

32 inches and less,	-	-	each,	\$10 50
33 to 35 inches,	-	-	"	10 80
36 to 38 "	-	-	"	11 16
39 to 42 "	-	-	"	11 61

197

32 inches and less,	-	-	each,	\$9 90
33 to 35 inches,	-	-	"	10 15
36 to 38 "	-	-	"	10 48
39 to 42 "	-	-	"	10 88

198

[illegible]

CORNICES.

206

ENRICHED CROWN MOULDING—IRON FRIEZE—PANELED.

42 inches deep, 24 inches projection, space between Brackets 6 feet,						per foot, \$
42	"	28	"	"	6 "	4 84
42	"	32	"	"	6 "	5 38
48	"	26	"	"	6 "	5 59
48	"	30	"	"	6 "	5 60
48	"	34	"	"	6 "	6 01
54	"	30	"	"	7 "	6 56
54	"	34	"	"	7 "	5 90
54	"	38	"	"	7 "	6 29
						6 72

207

IRON FRIEZE—PANELED.

36 inches deep, 18 inches projection, space between Brackets 5 feet,						per foot, \$
36	"	22	"	"	5 "	2 43
36	"	26	"	"	5 "	2 63
42	"	24	"	"	6 "	2 85
42	"	28	"	"	6 "	2 82
42	"	32	"	"	6 "	2 97
48	"	26	"	"	6 "	3 14
48	"	30	"	"	6 "	3 10
48	"	34	"	"	6 "	3 33
						3 56

208

IRON FRIEZE—PANELED.

36 inches deep, 18 inches projection, space between Brackets 5 feet,						per foot, \$
36	"	22	"	"	5 "	2 83
36	"	26	"	"	5 "	3 03
42	"	24	"	"	6 "	3 15
42	"	28	"	"	6 "	3 18
42	"	32	"	"	6 "	3 36
48	"	26	"	"	6 "	3 56
48	"	30	"	"	6 "	3 71
48	"	34	"	"	6 "	3 90
						4 13

CORNICES—Continued.

219

IRON FRIEZE—PANELED.

42 inches deep, 24 inches projection, space between Brackets 6 feet,								per foot, \$3 63
42	"	28	"	"	"	6	"	4 17
42	"	32	"	"	"	6	"	4 38
48	"	26	"	"	"	6	"	4 24
48	"	30	"	"	"	6	"	4 65
48	"	34	"	"	"	6	"	5 20
54	"	30	"	"	"	7	"	4 43
54	"	34	"	"	"	7	"	4 82
54	"	38	"	"	"	7	"	5 25

220

PLAIN BRICK FRIEZE.

36 inches deep, 18 inches projection, space between Brackets 5 feet,								per foot, \$2 21
36	"	22	"	"	"	5	"	2 39
36	"	26	"	"	"	5	"	2 56
42	"	24	"	"	"	6	"	2 56
42	"	28	"	"	"	6	"	2 82
42	"	32	"	"	"	6	"	3 01
48	"	26	"	"	"	6	"	2 96
48	"	30	"	"	"	6	"	3 17
48	"	34	"	"	"	6	"	3 43

221

IRON FRIEZE—PANELED.

36 inches deep, 18 inches projection, space between Brackets 5 feet,								per foot, \$2 85
36	"	22	"	"	"	5	"	3 05
36	"	26	"	"	"	5	"	3 27
42	"	24	"	"	"	6	"	3 24
42	"	28	"	"	"	6	"	3 41
42	"	32	"	"	"	6	"	3 53
48	"	26	"	"	"	6	"	3 52
48	"	30	"	"	"	6	"	3 72
48	"	34	"	"	"	6	"	3 93

CORNICES—Continued.

222

PLAIN BRICK FRIEZE.

36 inches deep, 18 inches projection, space between Brackets 5 feet,							per foot, \$1 46
36	"	22	"	"	"	5 " - -	1 66
36	"	26	"	"	"	5 " - -	1 88
42	"	24	"	"	"	6 " - -	1 76
42	"	28	"	"	"	6 " - -	1 93
42	"	32	"	"	"	6 " - -	2 05

223

PLAIN IRON FRIEZE.

18 inches deep, 9 inches projection, including Roof Iron,							per foot, \$1 10
24	"	12	"	"	"	- - - -	1 35
30	"	14	"	"	"	- - - -	1 60
36	"	16	"	"	"	- - - -	1 85

Extra for Head Blocks for above :

For Cornices 18 inches deep,							each, \$4 50
"	24	"	-	-	-	-	5 50
"	30	"	-	-	-	-	6 50
"	36	"	-	-	-	-	7 50

224

IRON FRIEZE—ARCHED PANEL.

36 inches deep, 18 inches projection, space between Brackets 5 feet,							per foot, \$3 63
36	"	22	"	"	"	5 " - -	3 81
36	"	26	"	"	"	5 " - -	4 06
42	"	24	"	"	"	6 " - -	3 91
42	"	28	"	"	"	6 " - -	4 14
42	"	32	"	"	"	6 " - -	4 31
48	"	26	"	"	"	6 " - -	4 01
48	"	30	"	"	"	6 " - -	4 24
48	"	34	"	"	"	6 " - -	4 46
54	"	30	"	"	"	7 " - -	4 27
54	"	34	"	"	"	7 " - -	4 50
54	"	38	"	"	"	7 " - -	4 71

CORNICES—Continued.

225

PLAIN BRICK FRIEZE.

36 inches deep, 18 inches projection, space between Brackets 5 feet,							per foot, \$2	
36	"	22	"	"	"	5	"	2 55
36	"	26	"	"	"	5	"	2 86
42	"	24	"	"	"	6	"	2 76
42	"	28	"	"	"	6	"	3 07
42	"	32	"	"	"	6	"	3 50
48	"	26	"	"	"	6	"	3 22
48	"	30	"	"	"	6	"	3 62
48	"	34	"	"	"	6	"	4 17
54	"	30	"	"	"	7	"	3 35
54	"	34	"	"	"	7	"	3 71
54	"	38	"	"	"	7	"	4 19

226

IRON FRIEZE—PANELED.

36 inches deep, 18 inches projection, space between Brackets 5 feet,							per foot, \$2	
36	"	22	"	"	"	5	"	3 13
36	"	26	"	"	"	5	"	3 35
42	"	24	"	"	"	6	"	3 32
42	"	28	"	"	"	6	"	3 47
42	"	32	"	"	"	6	"	3 64
48	"	26	"	"	"	6	"	3 60
48	"	30	"	"	"	6	"	3 83
48	"	34	"	"	"	6	"	4 06

227

IRON FRIEZE—PANELED.

36 inches deep, 18 inches projection, space between Brackets 5 feet,							per foot, \$2	
36	"	22	"	"	"	5	"	3 22
36	"	26	"	"	"	5	"	3 53
42	"	24	"	"	"	6	"	3 43
42	"	28	"	"	"	6	"	3 84
42	"	32	"	"	"	6	"	4 27
48	"	26	"	"	"	6	"	4 02
48	"	30	"	"	"	6	"	4 42
48	"	34	"	"	"	6	"	4 92
54	"	30	"	"	"	7	"	4 21
54	"	34	"	"	"	7	"	4 58
54	"	38	"	"	"	7	"	5 04

LEAVES.

PRESSED ZINC.

No. 1,	-	-	-	-	\$0 52
2,	-	-	-	-	1 25
3,	-	-	-	-	
4, 5½ x 16,	-	-	-	-	60
5,	-	-	-	-	45
6,	-	-	-	-	52
7,	-	-	-	-	75
12,	-	-	-	-	12
13,	-	-	-	-	
14,	-	-	-	-	18
18,	-	-	-	-	5 00
50,	-	-	-	-	
51,	-	-	-	-	90
52,	-	-	-	-	45
53,	-	-	-	-	60
54,	-	-	-	-	

PRESSED ZINC.

No. 58,	-	-	-	-	\$0 90
59,	-	-	-	-	40
60,	-	-	-	-	40
61,	-	-	-	-	30
63,	-	-	-	-	16
64,	-	-	-	-	28
66,	-	-	-	-	1 50
67,	-	-	-	-	55
68,	-	-	-	-	90
69,	-	-	-	-	27
70,	-	-	-	-	40
71,	-	-	-	-	63
72,	-	-	-	-	34
73,	-	-	-	-	
75,	-	-	-	-	

HEADS AND FACES.

No.		Price per Piece.	No.		Price per Piece
No. 31,	-	-	No. 37,	-	-
34,	-	\$1 75	38,	-	-
35,	-	40	41,	-	\$10 00
36,	-	-	42,	-	3 00

BRACKET AND MODILLION ORNAMENTS.

RIGHT AND LEFT

No. 10,	-	-	per pair, \$0 30	No. 44,	-	-	per pair, \$1 45
39,	-	-	" 55	46,	-	-	" 1 00
40,	-	-	" 75				

PANEL ORNAMENTS, SCROLL, &c., &c.

No. 11,	-	-	-	-	-	each, \$0 55
43,	-	-	-	-	-	per pair,
45,	-	-	-	-	-	" 90

[illegible]

No.	Size	Price per Piece	No.	Size	Price per Piece
15,	4 inch,	\$0 13	24,	6 inch,	\$0 15
16,	7½ " - - -	30	25,	7 " - - -	32
17,	- - -	-	26,	13 " - - -	25
19,	6 inch,	27	27,	9 " - - -	70
20,	5 " - - -	20	28,	4 " - - -	12
21,	5 " - - -	10	29,	8½ " - - -	-
22,	4 " - - -	13	30,	3 " - - -	06
23,	6 " - - -	30			

No. 47,	-	-	-	-	\$5 00	No. 65,	-	-	-	-	\$0 95
48,	-	-	-	-	2 00	76,	-	-	-	-	60
57,	-	-	-	-	3 00						

Price per Lineal Foot.					Price per Lineal Foot.					
No. 80,	-	-	-	-	\$0 20	No. 92,	-	-	-	-
81,	-	-	-	-		93,	-	-	-	\$0 15
82,	-	-	-	-	30	94,	-	-	-	21
83,	-	-	-	-	18	95,	-	-	-	13
84,	-	-	-	-		96,	-	-	-	17
85,	-	-	-	-	18	97,	-	-	-	
86,	-	-	-	-	28	98, Right and Left,	-	-	-	10
87,	-	-	-	-	65	99,	-	-	-	35
88,	-	-	-	-	55	100,	-	-	-	17
91,	-	-	-	-		111,	-	-	-	

No.	Price per Lineal Foot		No.	Price per Lineal Foot.	
89, single face,	\$0 65,	double face, \$1 50	261, single face	\$1 10,	double face, \$2 50
257,	" 1 20,	" " 2 75	262,	" 2 35,	" " 5 25
258,	" 1 25,	" " 2 80	263,	" 2 25,	
259,	" 1 50,	" " 3 50	265,	" 58,	" " 1 30
260,	" 95,	" " 2 00			

WINDOW CAPS.

(CONTINUED FROM PAGE 8.)

140

32 inches and less, - - -	each, \$9 40
33 to 35 inches, - - -	" 9 70
36 to 38 " - - -	" 10 06
39 to 42 " - - -	" 10 51

141

32 inches and less, - - -	each, \$7 50
33 to 35 inches, - - -	" 7 75
36 to 38 " - - -	" 8 08
39 to 42 " - - -	" 8 48

142

32 inches and less, - - -	each, \$7 10
33 to 35 inches, - - -	" 7 35
36 to 38 " - - -	" 7 68
39 to 42 " - - -	" 8 08

143

32 inches and less, - - -	each, \$6 56
33 to 35 inches, - - -	" 6 71
36 to 38 " - - -	" 6 93
39 to 42 " - - -	" 7 20

144

32 inches and less, - - -	each, \$8 58
33 to 35 inches, - - -	" 8 83
36 to 38 " - - -	" 9 16
39 to 42 " - - -	" 9 56

145

32 inches and less, - - -	each, \$8 08
33 to 35 inches, - - -	" 8 33
36 to 38 " - - -	" 8 66
39 to 42 " - - -	" 9 06

146

32 inches and less, - - -	each, \$7 00
33 to 35 inches, - - -	" 7 25
36 to 38 " - - -	" 7 58
39 to 42 " - - -	" 7 98

147

32 inches and less, - - -	each, \$7 18
33 to 35 inches, - - -	" 7 43
36 to 38 " - - -	" 7 76
39 to 42 " - - -	" 8 16

148

32 inches and less, - - -	each, \$7 60
33 to 35 inches, - - -	" 7 85
36 to 38 " - - -	" 8 18
39 to 42 " - - -	" 8 58

149

32 inches and less, - - -	each, \$7 00
33 to 35 inches, - - -	" 7 25
36 to 38 " - - -	" 7 58
39 to 42 " - - -	" 7 98

150

32 inches and less, - - -	each, \$5 30
33 to 35 inches, - - -	" 5 45
36 to 38 " - - -	" 5 67
39 to 42 " - - -	" 5 94

151

32 inches and less, - - -	each, \$8 90
33 to 35 inches, - - -	" 9 15
36 to 38 " - - -	" 9 48
39 to 42 " - - -	" 9 88

WINDOW CAPS—Continued.

152

32 inches and less,	-	-	each,	\$7 66
33 to 35 inches,	-	-	"	7 91
36 to 38	"	-	"	8 24
39 to 42	"	-	"	8 64

153

32 inches and less,	-	-	each,	\$6 66
33 to 35 inches,	-	-	"	6 81
36 to 38	"	-	"	7 03
39 to 42	"	-	"	3 70

154

32 inches and less,	-	-	each,	\$8 50
33 to 35 inches,	-	-	"	8 75
36 to 38	"	-	"	9 08
39 to 42	"	-	"	9 48

155

32 inches and less,	-	-	each,	\$6 72
33 to 35 inches,	-	-	"	6 87
36 to 38	"	-	"	7 09
39 to 42	"	-	"	7 36

156

32 inches and less,	-	-	each,	\$7 06
33 to 35 inches,	-	-	"	7 34
36 to 38	"	-	"	7 64
39 to 42	"	-	"	8 04

157

32 inches and less,	-	-	each,	\$7 10
33 to 35 inches,	-	-	"	7 35
36 to 38	"	-	"	7 68
39 to 42	"	-	"	8 08

158

32 inches and less,	-	-	each,	\$8 00
33 to 35 inches,	-	-	"	8 25
36 to 38	"	-	"	8 58
39 to 42	"	-	"	8 98

159

32 inches and less,	-	-	each,	\$6 16
33 to 35 inches,	-	-	"	6 31
36 to 38	"	-	"	6 53
39 to 42	"	-	"	6 50

160

32 inches and less,	-	-	each,	\$7 08
33 to 35 inches,	-	-	"	7 33
36 to 38,	-	-	"	7 66
39 to 42	"	-	"	8 06

161

32 inches and less,	-	-	each,	\$5 36
33 to 35 inches,	-	-	"	5 51
36 to 38	"	-	"	5 73
39 to 42	"	-	"	6 00

162

32 inches and less,	-	-	each,	\$7 50
33 to 35 inches,	-	-	"	7 75
36 to 38	"	-	"	8 08
39 to 42	"	-	"	8 48

163

32 inches and less,	-	-	each,	\$8 50
33 to 35 inches,	-	-	"	8 75
36 to 38	"	-	"	9 08
39 to 42	"	-	"	9 48

164

32 inches and less,	-	-	each,	\$7 90
33 to 35 inches,	-	-	"	8 15
36 to 38	"	-	"	8 48
39 to 42	"	-	"	8 88

165

32 inches and less,	-	-	each,	\$5 20
33 to 35 inches,	-	-	"	5 35
36 to 38	"	-	"	5 57
39 to 42	"	-	"	5 84

WINDOW CAPS—Continued.

166

32 inches and less,	-	-	each, \$7 50
33 to 35 inches,	-	-	" 7 75
36 to 38 "	-	-	" 8 08
39 to 42 "	-	-	" 8 48

167

32 inches and less,	-	-	each, \$9 00
33 to 35 inches,	-	-	" 9 30
36 to 38 "	-	-	" 9 66
39 to 42 "	-	-	" 10 11

168

32 inches and less,	-	-	each, \$10 46
33 to 35 inches,	-	-	" 10 76
36 to 38 "	-	-	" 11 12
39 to 42 "	-	-	" 11 57

169

32 inches and less,	-	-	each, \$8 90
33 to 35 inches,	-	-	" 9 15
36 to 38 "	-	-	" 9 48
39 to 42 "	-	-	" 9 88

170

32 inches and less,	-	-	each, \$8 60
33 to 35 inches,	-	-	" 8 85
36 to 38 "	-	-	" 9 18
39 to 42 "	-	-	" 9 58

171

32 inches and less,	-	-	each, \$5 46
33 to 35 inches,	-	-	" 5 71
36 to 38 "	-	-	" 5 93
39 to 42 "	-	-	" 6 20

172

32 inches and less,	-	-	each, \$9 50
33 to 35 inches,	-	-	" 9 80
36 to 38 "	-	-	" 10 16
39 to 42 "	-	-	" 10 61

173

32 inches and less,	-	-	each, \$7 00
33 to 35 inches,	-	-	" 7 25
36 to 38 "	-	-	" 7 58
39 to 42 "	-	-	" 7 98

174


32 inches and less,	-	-	each, \$6 20
33 to 35 inches,	-	-	" \$6 35
36 to 38 "	-	-	" 6 57
39 to 42 "	-	-	" 6 84

175

32 inches and less,	-	-	each, \$8 00
33 to 35 inches,	-	-	" 8 25
36 to 38 "	-	-	" 8 58
39 to 42 "	-	-	" 8 98

HAIN BROTHERS'

Keystone Metallic Cornice Works.



23 NORTH EIGHTH ST., READING, P.A.

HAIN BROTHERS'

Keystone Metallic Cornice Works,




23 NORTH EIGHTH ST., READING, PA.

Henry Wilson
August 1862
To

HAIN BROTHERS'

Keystone Metallic Cornice Works,



23 NORTH EIGHTH ST., READING, PA.



HAIN BROTHERS'

Keystone Metallic Cornice Works,




Leaman & Co.
P. 104

23 NORTH EIGHTH ST., READING, PA.

HAIN BROTHERS'


Keystone Metallic Cornice Works,



23 NORTH EIGHTH ST., READING, PA.

HAIN BROTHERS'


Keystone Metallic Cornice Works,




23 NORTH EIGHTH ST., READING, PA.

HAIN BROTHERS'

Keystone Metallic Cornice Works,



204



210



205




211




206



212



207




213



208



214



209



215


215

23 NORTH EIGHTH ST., READING, PA.




HAIN BROTHERS'


Keystone Metallic Cornice Works,




216




222



217




223




218




224




219



225




220



226



221




227

Samuel Lee, Photographer

23 NORTH EIGHTH ST., READING, PA.



HAIN BROTHERS'
Keystone Metallic Cornice Works,



23 NORTH EIGHTH ST., READING, PA.

HAIN BROTHERS' Keystone Metallic Cornice Works,



23 NORTH EIGHTH ST., READING, PA.


HAIN BROTHERS'

Keystone Metallic Cornice Works,



23 NORTH EIGHTH ST., READING, PA.





76
Hav +

60
35
30
60
1-5

874 00
434 15
437 00
185 00
254 00

